

# Erratum to: Conference materials. 15<sup>th</sup> Congress of the Polish Society of Experimental and Clinical Immunology. Wrocław 2014

In the abstracts:

58. Majewska-Szczepanik M., Górska M., Marcińska K., Zemelka-Wiącek M., Strzępa A., Dorożyńska I., Szczepanik M. Epicutaneous immunization with protein antigen TNP-Ig alleviates TNBS-induced colitis in mice [p. 13]  
68. Majewska-Szczepanik M., Yamamoto N., Askenase P.W., Szczepanik M. Epicutaneous immunization with phosphorylcholine conjugated to bovine serum albumin (PC-BSA) and TLR9 ligand CpG alleviates pneumococcal pneumonia in mice [p. 23]  
55. Dorożyńska I., Majewska-Szczepanik M., Szczepanik M. Partial depletion of natural gut flora by antibiotic aggravates collagen-induced arthritis (CIA) in mice [p. 11]  
56. Dorożyńska I., Majewska-Szczepanik M., Strzępa A., Marcińska K., Szczepanik M. Modulation of antibody production by partial depletion of gut microbiota [p. 19]

published in the *Central European Journal of Immunology* 2014; 39 suppl. 1 was incorrectly posted information about the funding from grant 2011/01/B/NZ6/00300.

In the abstracts:

61. Majewska-Szczepanik M., Askenase P.W., Szczepanik M. Contact sensitivity (CS) response mediated by NK cells activated by TLR3 ligand poly(I:C) is IFN-g dependent but does not require IFN-g and IL-12 [p. 1]

published in the *Central European Journal of Immunology* 2014; 39 suppl. 1 was incorrectly posted information about the funding from grant UMO-2011/03/B/NZ6/00821.

In the abstracts:

58. Majewska-Szczepanik M., Górska M., Marcińska K., Zemelka-Wiącek M., Strzępa A., Dorożyńska I., Szczepanik M. Epicutaneous immunization with protein antigen TNP-Ig alleviates TNBS-induced colitis in mice [p. 13]  
69. Majewska-Szczepanik M., Zemelka-Wiącek M., Ptak W., Wen L., Szczepanik M. Epicutaneous immunization with DNP-BSA induces CD4+ CD25+ treg cells that inhibit Tc mediated CS [p. 24]

71. Zemelka-Wiącek M., Majewska-Szczepanik M., Ptak W., Szczepanik M. Epicutaneous immunization with protein antigen induces antigen-non-specific suppression of CD8 T cell mediated contact sensitivity [p. 24]  
55. Dorożyńska I., Majewska-Szczepanik M., Szczepanik M. Partial depletion of natural gut flora by antibiotic aggravates collagen-induced arthritis (CIA) in mice [p. 11]  
73. Marcińska K., Majewska-Szczepanik M., Szczepanik M. Epicutaneous immunization with collagen alleviates collagen-induced arthritis [p. 13]  
52. Marcińska K., Majewska-Szczepanik M., Szczepanik M. Epicutaneous immunization with collagen induces TCRab CD4+ CD8+ suppressor T cells that inhibit collagen-induced arthritis [p. 12]  
51. Dorożyńska I., Marcińska K., Majewska-Szczepanik M., Szczepanik M. Influence of obesity on collagen-induced arthritis in mice [p. 12]

published in the *Central European Journal of Immunology* 2014; 39 suppl. 1 was incorrectly posted information about the funding from grant 2011/03/B/NZ6/00801.

In the abstracts:

57. Śliwa L., Macura B., Majewska-Szczepanik M., Szczepanik M. Lack of TCRab+ CD8+ and TCRgd+ lymphocytes ameliorate LPS induced orchitis in mice [p. 33]  
59. Majewska-Szczepanik M., Askenase P.W., Marcińska K., Szczepanik M. Epicutaneous immunization (EC) with OVA and CpG induces Th1/Th17 cytokines that regulate IgE and IgG2a production [p. 21]  
65. Majewska-Szczepanik M., Wen L., Szczepanik M. Role of innate immunity in contact sensitivity in NOD mice [p. 22]

published in the *Central European Journal of Immunology* 2014; 39 suppl. 1 was incorrectly posted information about the funding from grant UMO-2012/05/B/NZ6/00997.